

VL, VTL

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Киргизия +996(312)-96-26-47

Казахстан +7(7172)727-132



CNC Vertical Lathes

VL-100C

Technical details

RAM TYPE, 1200 DIAMETER, CNC VERTICAL LATHE

Feature	Value
Max. Dial Diameter (mm)	1200
Max. Turning Diameter (mm)	1200
Max. Turning Height (mm)	650
Max. Workpiece Weight (kg)	3500
Spindle Speed (rpm)	1-400
ATC(pcs)	12
X Axis No-load Speed (m/min)	10
Z Axis No-load Speed (m/min)	10

Feature	Value
Machine size (LxW)	4200×4850
Machine Weight (kg)	17800



CNC Vertical Lathes

VL-100M

Technical details

1320 DIAMETER C-AXIS VERTICAL LATHE

Feature	Value
Max. Dial Diameter (mm)	1320
Max. Turning Diameter (mm)	1100
Max Turning Height (mm)	900
Mirror Size (mm)	1000 (40")/Manual 4-jaw chuck
Spindle Speed (rpm)	5-850
Number of Tool Stations (pieces)	12
X-axis Idle Speed (m/min)	20
Z-axis Idle Speed (m/min)	20
Machine Dimensions (LxW)(mm)	2700x4000
Machine Weight (kg)	21800



CNC Vertical Lathes

VL-100A

Technical details

1320 DIAMETER CNC VERTICAL LATHE

Feature	Value
Max. Dial Diameter (mm)	1320
Max. Turning Diameter (mm)	1100
Max Turning Height (mm)	920
Mirror Size (mm)	1000 (40")/Manual 4-jaw chuck
Spindle Speed (rpm)	5-850
Number of Tool Stations (pieces)	12
X-axis Idle Speed (m/min)	20
Z-axis Idle Speed (m/min)	20
Machine Dimensions (LxW)(mm)	2700x4000
Machine Weight (kg)	21000



CNC Vertical Lathes

VL-86M

Technical details

1000 DIA, C AXIS CNC LATHE

Feature	Value
Max. Dial Diameter (mm)	one thousand
Max. Turning Diameter (mm)	800
Max Turning Height (mm)	700
Mirror Size (mm)	533(21")
Spindle Speed (rpm)	25-1500
Number of Tool Stations (pieces)	12
X-axis Idle Speed (m/min)	20
Z Axis No-load Speed (m/min)	20
Machine Dimensions (LxW)(mm)	2100×3500
Machine Weight (kg)	14600



CNC Vertical Lathes

VL-125C

Technical details

RAM TYPE, 1600 DIAMETER CNC VERTICAL LATHE

Feature	Value
Max. Dial Diameter (mm)	1600
Max. Turning Diameter (mm)	1600
Max Turning Height (mm)	1200
Max. Part Loading Weight (kg)	5000
Spindle Speed (rpm)	3-300
Number of Tool Stations (pieces)	12
X-axis Idle Speed (m/min)	10
Z-axis Idle Speed (m/min)	10
Machine Dimensions (LxW)(mm)	6500×4900
Machine Weight (kg)	24500



CNC Vertical Lathes

VTL-800M

Technical details

800 DIA, C AXIS, CNC VERTICAL LATHE

Feature	Value
Max. Dial Diameter (mm)	900
Max. Turning Diameter (mm)	800
Max. Turning Length (mm)	760
Max. Workpiece Weight(kg)	1300
X Axis Travel (mm)	410+20
Z Axis Travel (mm)	760
Spindle Speed (rpm)	2000
Mirror Size (mm)	457(18")
Spindle End	A2-11
Number of Tool Stations (pieces)	12
Square Tool Size (mm)	25 BMT75
Round Tool Size (mm)	50 BMT75
X/Z Axis No-load Speeds (m/min)	20/20

Feature	Value
X/Z Axis Motor (Kw(hp))	4/7(5.4/9.4)
Machine Size (LxWxH)	3456x2430x3804
Machine Weight (kg)	13700



CNC Vertical Lathes

VTL-800

Technical details

800 DIA, CNC VERTICAL LATHE

Feature	Value
Max. Dial Diameter (mm)	900
Max. Turning Diameter (mm)	800
Max. Turning Length (mm)	760
Max. Workpiece Weight(kg)	1300
X Axis Travel (mm)	400+25
Z Axis Travel (mm)	760
Spindle Speed (rpm)	2000
Mirror Size (mm)	457(18")
Spindle End	A2-11
Number of Tool Stations (pieces)	12
Square Tool Size (mm)	32
Round Tool Size (mm)	50
X/Z Axis No-load Speeds (m/min)	20/20

Feature	Value
X/Z Axis Motor (Kw(hp))	4/7(5.4/9.4)
Machine Size (LxWxH)	3435x2430x3804
Machine Weight (kg)	13500



CNC Vertical Lathes

VTL-600M

Technical details

600 DIAMETER, C-AXIS, CNC VERTICAL LATHE

Feature	Value
Max. Dial Diameter (mm)	710
Max. Turning Diameter (mm)	600
Max. Turning Length (mm)	500
Max. Workpiece Weight(kg)	one thousand
X Axis Travel (mm)	300+5
Z Axis Travel (mm)	500
Spindle Speed (rpm)	2000
Mirror Size (mm)	381(15")
Spindle End	A2-11
Number of Tool Stations (pieces)	12
Square Tool Size (mm)	25 BMT65
Round Tool Size (mm)	40 BMT65
X/Z Axis No-load Speeds (m/min)	20/24

Feature	Value
X/Z Axis Motor (Kw(hp))	3/4(4/5.4)
Machine Size (LxWxH)	2925x1870x3205
Machine Weight (kg)	8000



CNC Vertical Lathes

VTL-600

Technical details

600 DIAMETER CNC VERTICAL LATHE

Feature	Value
Max. Dial Diameter (mm)	700
Max. Turning Diameter (mm)	600
Max. Turning Length (mm)	500
Max. Workpiece Weight(kg)	one thousand
X Axis Travel (mm)	300+5
Z Axis Travel (mm)	500
Spindle Speed (rpm)	2000
Mirror Size (mm)	381(15")
Spindle End	A2-11
Number of Tool Stations (pieces)	8
Square Tool Size (mm)	32
Round Tool Size (mm)	50
X/Z Axis No-load Speeds (m/min)	20/24

Feature	Value
X/Z Axis Motor (Kw(hp))	3/4(4/5.4)
Machine Size (LxWxH)	2925x1870x3205
Machine Weight (kg)	7000



CNC Vertical Lathes

VTL-450

Technical details

460 DIAMETER CNC VERTICAL LATHE

Feature	Value
Max. Dial Diameter (mm)	650
Max. Turning Diameter (mm)	460
Max. Turning Length (mm)	500
Max. Workpiece Weight(kg)	600
X Axis Travel (mm)	230+20
Z Axis Travel (mm)	500
Spindle Speed (rpm)	2500
Mirror Size (mm)	305(12")
Spindle End	A2-8
Number of Tool Stations (pieces)	12
Square Tool Size (mm)	25
Round Tool Size (mm)	40
X/Z Axis No-load Speeds (m/min)	20/24

Feature	Value
X/Z Axis Motor (Kw(hp))	3/4(4/5.4)
Machine Size (LxWxH)	2925x1870x3205
Machine Weight (kg)	7000

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Россия +7(495)268-04-70

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Киргизия +996(312)-96-26-47

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Казахстан +7(7172)727-132

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93